

---

# Nucleic Acids Research

---

## Contents

Volume 35 number 3

---

### COMPUTATIONAL BIOLOGY

- S** Anatomy of *Escherichia coli*  $\sigma^{70}$  promoters R.K.Shultzaberger, Z.Chen, K.A.Lewis and T.D.Schneider 771–788

### MOLECULAR BIOLOGY

- S** Histone acetylation-independent transcription stimulation by a histone chaperone K.Kato, M.Miyaji-Yamaguchi, M.Okuwaki and K.Nagata 705–715
- Relationships between the physicochemical properties of an amphiphilic triblock copolymers/ DNA complexes and their intramuscular transfection efficiency M.Bello-Roufaï, O.Lambert and B.Pitard 728–739
- DNA methylation immediately adjacent to active histone marking does not silence transcription A.B.Brinkman, S.W.C.Pennings, G.G.Braliou, L.E.G.Rietveld and H.G.Stunnenberg 801–811
- Cooperative binding of the yeast Spt10p activator to the histone upstream activating sequences is mediated through an N-terminal dimerization domain G.Mendiratta, P.R.Eriksson and D.J.Clark 812–821
- Control of the yeast telomeric senescence survival pathways of recombination by the Mec1 and Mec3 DNA damage sensors and RPA N.Grandin and M.Charbonneau 822–838
- Nuclease activity of the MutS homologue MutS2 from *Thermus thermophilus* is confined to the Smr domain K.Fukui, H.Kosaka, S.Kuramitsu and R.Masui 850–860
- Tfb5 interacts with Tfb2 and facilitates nucleotide excision repair in yeast Y.Zhou, H.Kou and Z.Wang 861–871
- Deletion of a trypanosome telomere leads to loss of silencing and progressive loss of terminal DNA in the absence of cell cycle arrest L.Glover, S.Alsford, C.Beattie and D.Horn 872–880
- The MH1 domain of Smad3 interacts with Pax6 and represses autoregulation of the Pax6 P1 promoter T.Grocott, V.Frost, M.Maillard, T.Johansen, G.N.Wheeler, L.J.Dawes, I.M.Wormstone and A.Chantry 890–901
- S** The Delta intracellular domain mediates TGF- $\beta$ /Activin signaling through binding to Smads and has an important bi-directional function in the Notch–Delta signaling pathway M.Hiratochi, H.Nagase, Y.Kuramochi, C.-S.Koh, T.Ohkawara and K.Nakayama 912–922
- SET3p monomethylates histone H3 on lysine 9 and is required for the silencing of tandemly repeated transgenes in *Chlamydomonas* J.A.Casas-Mollano, K.van Dijk, J.Eisenhart and H.Cerutti 939–950
- Bacterial protein HU dictates the morphology of DNA condensates produced by crowding agents and polyamines T.Sarkar, I.Vitoc, I.Mukerji and N.V.Hud 951–961
- S** Gene-specific recruitment of positive and negative elongation factors during stimulated transcription of the *MKP-1* gene in neuroendocrine cells T.Fujita, S.Ryser, S.Tortola, I.Piuz and W.Schlegel 1007–1017

*Continued*

## NUCLEIC ACID ENZYMES

- Spermidine biases the resolution of Holliday junctions by phage  $\lambda$  integrase J.L.Boldt, K.V.Kepple, G.D.Cassell and A.M.Segall 716–727
- Specific targeting of cytosine methylation to DNA sequences *in vivo* A.E.Smith and K.G.Ford 740–754
- S** The 32 kDa subunit of replication protein A (RPA) participates in the DNA replication of *Mung bean yellow mosaic India virus* (MYMIV) by interacting with the viral Rep protein D.K.Singh, M.N.Islam, N.R.Choudhury, S.Karjee and S.K.Mukherjee 755–770
- Deinococcus radiodurans* RNA ligase exemplifies a novel ligase clade with a distinctive N-terminal module that is important for 5'-PO<sub>4</sub> nick sealing and ligase adenylation but dispensable for phosphodiester formation at an adenylylated nick A.Raymond and S.Shuman 839–849
- Contributions of ubiquitin- and PCNA-binding domains to the activity of Polymerase  $\eta$  in *Saccharomyces cerevisiae* J.L.Parker, A.B.Bielen, I.Dikic and H.D.Ulrich 881–889
- The accessory subunit B of DNA polymerase  $\gamma$  is required for mitochondrial replisome function G.Farge, X.H.Pham, T.Holmlund, I.Khorostov and M.Falkenberg 902–911
- GEK1, a gene product of *Arabidopsis Thaliana* involved in ethanol tolerance, is a D-aminoacyl-tRNA deacylase S.Wyda, M.-L.Ferri-Fioni, S.Blanquet and P.Plateau 930–938
- Archaeal MCM has separable processivity, substrate choice and helicase domains E.R.Barry, A.T.McGeoch, Z.Kelman and S.D.Bell 988–998

## RNA

- S** The BRCT domain of mammalian Pes1 is crucial for nucleolar localization and rRNA processing M.Hölzel, T.Grimm, M.Rohrmoser, A.Malamoussi, T.Harasim, A.Gruber-Eber, E.Kremmer and D.Eick 789–800
- S** The Lsm2-8 complex determines nuclear localization of the spliceosomal U6 snRNA M.P.Spiller, K.-L.Boon, M.A.M.Reijns and J.D.Beggs 923–929
- S** Identification of new noncoding RNAs in *Listeria monocytogenes* and prediction of mRNA targets P.Mandin, F.Repoila, M.Vergassola, T.Geissmann and P.Cossart 962–974
- Spectroscopic observation of RNA chaperone activities of Hfq in post-transcriptional regulation by a small non-coding RNA V.Arluison, S.H.R.Roy, O.Pellegrini, P.Régnier and T.Ha 999–1006
- M, S** Translational control and target recognition by *Escherichia coli* small RNAs *in vivo* J.H.Urban and J.Vogel 1018–1037

## STRUCTURAL BIOLOGY

- M** Small-angle X-ray characterization of the nucleoprotein complexes resulting from DNA-induced oligomerization of HIV-1 integrase S.Baranova, F.V.Tuzikov, O.D.Zakharova, N.A.Tuzikova, C.Calmels, S.Litvak, L.Tarrago-Litvak, V.Parissi and G.A.Nevinsky 975–987

## METHODS

- Power and limitations of the chloroplast *trnL* (UAA) intron for plant DNA barcoding P.Taberlet, E.Coissac, F.Pompanon, L.Gielly, C.Miquel, A.Valentini T.Vermat, G.Corthier, C.Brochmann and E.Willerslev e14 (8 pp.)
- S** High resolution array-CGH analysis of single cells H.Fiegler, J.B.Geigl, S.Langer, D.Rigler, K.Porter, K.Unger, N.P.Carter and M.R.Speicher e15 (10 pp.)

*Continued*

|          |  |  |              |
|----------|--|--|--------------|
| <b>S</b> | <b>Rapid DNA mapping by fluorescent single molecule detection</b>  | M.Xiao, A.Phong, C.Ha, T.-F.Chan, D.Cai, L.Leung, E.Wan, A.L.Kistler, J.L.DeRisi, P.R.Selvin and P.-Y.Kwok           | e16 (12 pp.) |
| <b>S</b> | <b>Rapid conditional knock-down–knock-in system for mammalian cells</b>  | M.Hölzel, M.Rohrmoser, M.Orban, C.Hömig, T.Harasim, A.Malamoussi, A.Gruber-Eber, V.Heissmeyer, G.Bornkamm and D.Eick | e17 (8 pp.)  |
| <b>S</b> | <b>Free energy of DNA duplex formation on short oligonucleotide microarrays</b>  | L.Zhang, C.Wu, R.Carta and H.Zhao  | e18 (5 pp.)  |
|          | <b>Accurate, high-throughput typing of copy number variation using paralogue ratios from dispersed repeats</b>   | J.A.L.Armour, R.Palla, P.L.J.M.Zeeuwen, M.den Heijer, J.Schalkwijk and E.J.Hollox                                    | e19 (8 pp.)  |
|          | <b>Positional clustering improves computational binding site detection and identifies novel <i>cis</i>-regulatory sites in mammalian GABA<sub>A</sub> receptor subunit genes</b> | T.E.Reddy, B.E.Shakhnovich, D.S.Roberts, S.J.Russek and C.DeLisi   | e20 (9 pp.)  |

## CORRIGENDUM

*M*, contains a novel method

*S*, Supplementary Material available at NAR Online