

---

# Nucleic Acids Research

---

## Contents

Volume 36 number 1

---

### CHEMISTRY

- S* Characterization and use of an unprecedentedly bright and structurally non-perturbing fluorescent DNA base analogue P.Sandin, K.Börjesson, H.Li, J.Mårtensson, T.Brown, L.M.Wilhelmsson and B.Albinsson 157–167
- Dehydration, deamination and enzymatic repair of cytosine glycols from oxidized poly(dG-dC) and poly(dI-dC) S.Tremblay and J.R.Wagner 284–293

### COMPUTATIONAL BIOLOGY

- Mapping the phase diagram of the writhe of DNA nanocircles using atomistic molecular dynamics simulations S.A.Harris, C.A.Laughton and T.B.Liverpool 21–29

### GENOMICS

- S* Mechanisms of primary and secondary estrogen target gene regulation in breast cancer cells V.Bourdeau, J.Deschênes, D.Laperrière, M.Aid, J.H.White and S.Mader 76–93
- S* Genomic distribution and functional analyses of potential G-quadruplex-forming sequences in *Saccharomyces cerevisiae* S.G.Hershman, Q.Chen, J.Y.Lee, M.L.Kozak, P.Yue, L.-S.Wang and F.B.Johnson 144–156

### MOLECULAR BIOLOGY

- The ERCC1/XPF endonuclease is required for efficient single-strand annealing and gene conversion in mammalian cells A.Z.Al-Minawi, N.Saleh-Gohari and T.Helleday 1–9
- Nuclear receptor interaction protein, a coactivator of androgen receptors (AR), is regulated by AR and Sp1 to feed forward and activate its own gene expression through AR protein stability P.-H.Chen, Y.-P.Tsao, C.-C.Wang and S.-L.Chen 51–66
- S, M* Mismatch Repair proteins are recruited to replicating DNA through interaction with Proliferating Cell Nuclear Antigen (PCNA) P.J.Masih, D.Kunnev and T.Melendy 67–75
- S* The process of displacing the single-stranded DNA-binding protein from single-stranded DNA by RecO and RecR proteins J.Inoue, M.Honda, S.Ikawa, T.Shibata and T.Mikawa 94–109
- S* Dynamic structures of *Bacillus subtilis* RecN–DNA complexes H.Sanchez, P.P.Cardenas, S.H.Yoshimura, K.Takeyasu and J.C.Alonso 110–120
- S* Distinct HDACs regulate the transcriptional response of human cyclin-dependent kinase inhibitor genes to trichostatin A and 1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub> M.Malinen, A.Saramäki, A.Ropponen, T.Degenhardt, S.Väisänen and C.Carlberg 121–132

*Continued*

<b>S</b>	The C-terminal domain of <i>Escherichia coli</i> Hfq is required for regulation	B.Večerek, L.Rajkowitsch, E.Sonnleitner, R.Schroeder and U.Bläsi	133–143
	SMAD3 prevents binding of NKX2.1 and FOXA1 to the SpB promoter through its MH1 and MH2 domains	P.Minoo, L.Hu, N.Zhu, Z.Borok, S.Bellusci, J.Groffen, D.Kardassis and C.Li	179–188
<b>S</b>	Genome-wide location analysis and expression studies reveal a role for p110 CUX1 in the activation of DNA replication genes	R.Harada, C.Vadnais, L.Sansregret, L.Leduy, G.Bérubé, F.Robert and A.Nepveu	189–202
	Nucleolin regulates c-Jun/Sp1-dependent transcriptional activation of cPLA <sub>2</sub> α in phorbol ester-treated non-small cell lung cancer A549 cells	J.-H.Tsou, K.-Y.Chang, W.-C.Wang, J.T.Tseng, W.-C.Su, L.-Y.Hung, W.-C.Chang and B.-K.Chen	217–227
	Incorporation of extracellular 8-oxodG into DNA and RNA requires purine nucleoside phosphorylase in MCF-7 cells	J.M.Mundt, S.S.Hah, R.A.Sumbad, V.Schramm and P.T.Henderson	228–236
<b>S</b>	<i>Ex vivo</i> correction of selenoprotein N deficiency in rigid spine muscular dystrophy caused by a mutation in the selenocysteine codon	M.Rederstorff, V.Allamand, P.Guicheney, C.Gartioux, P.Richard, D.Chaigne, A.Krol and A.Lescure	237–244
<b>S</b>	SUMO1 negatively regulates BRCA1-mediated transcription, via modulation of promoter occupancy	M.A.Park, Y.-J.Seok, G.Jeong and J.-S.Lee	263–283
	Measurement of the salt-dependent stabilization of partially open DNA by <i>Escherichia coli</i> SSB protein	K.Hatch, C.Danilowicz, V.Coljee and M.Prentiss	294–299
<b>S</b>	Unconventional GIY-YIG homing endonuclease encoded in group I introns in closely related strains of the <i>Bacillus cereus</i> group	D.Nord and B.-M.Sjöberg	300–310
	CpG methylation plays a vital role in determining tissue- and cell-specific expression of the human cell-death-inducing DFF45-like effector A gene through the regulation of Sp1/Sp3 binding	D.Li, L.Da, H.Tang, T.Li and M.Zhao	330–341
	Activation of DNA strand exchange by cationic comb-type copolymers: effect of cationic moieties of the copolymers	S.W.Choi, A.Kano and A.Maruyama	342–351
<b>NUCLEIC ACID ENZYMES</b>			
	Mutation of the arginine finger in the active site of <i>Escherichia coli</i> DbpA abolishes ATPase and helicase activity and confers a dominant slow growth phenotype	L.M.S.Elles and O.C.Uhlenbeck	41–50
	Identification of functional domains in <i>Arabidopsis thaliana</i> mRNA decapping enzyme (AtDcp2)	D.Gunawardana, H.-C.Cheng and K.R.Gayler	203–216
<b>S</b>	The RNA polymerase factory: a robotic <i>in vitro</i> assembly platform for high-throughput production of recombinant protein complexes	S.Nottebaum, L.Tan, D.Trzaska, H.C.Carney and R.O.J.Weinzierl	245–252
<b>RNA</b>			
<b>S</b>	RNA secondary structure regulates the translation of <i>sxy</i> and competence development in <i>Haemophilus influenzae</i>	A.D.S.Cameron, M.Volar, L.A.Bannister and R.J.Redfield	10–20

*Continued*

<i>S</i>	The presence of the TAR RNA structure alters the programmed -1 ribosomal frameshift efficiency of the human immunodeficiency virus type 1 (HIV-1) by modifying the rate of translation initiation	K.Gendron, J.Charbonneau, D.Dulude, N.Heveker, G.Ferbeyre and L.Brakier-Gingras	30–40
	The eIF4G homolog DAP5/p97 supports the translation of select mRNAs during endoplasmic reticulum stress	S.M.Lewis, S.Cerquozzi, T.E.Graber, N.H.Ungureanu, M.Andrews and M.Holcik	168–178
	Two RNA editing sites with <i>cis</i> -acting elements of moderate sequence identity are recognized by an identical site-recognition protein in tobacco chloroplasts	Y.Kobayashi, M.Matsuo, K.Sakamoto, T.Wakasugi, K.Yamada and J.Obokata	311–318
	Roles for TbDSS-1 in RNA surveillance and decay of maturation by-products from the 12S rRNA locus	J.L.Mattiacio and L.K.Read	319–329
<b>STRUCTURAL BIOLOGY</b>			
<i>S</i>	DNA oligonucleotides with A, T, G or C opposite an abasic site: structure and dynamics	J.Chen, F.-Y.Dupradeau, D.A.Case, C.J.Turner and J.Stubbe	253–262
	<b>CORRIGENDUM</b>		352
<b>METHODS ONLINE</b>			
	Protein evolution by hypermutation and selection in the B cell line DT40	H.Arakawa, H.Kudo, V.Batrak, R.B.Caldwell, M.A.Rieger, J.W.Ellwart and J.-M.Buerstedde	e1 (11 pp.)
<i>S</i>	siRNA nanoformulation against the Ret/PTC1 junction oncogene is efficient in an <i>in vivo</i> model of papillary thyroid carcinoma	H.de Martimprey, J.-R.Bertrand, A.Fusco, M.Santoro, P.Couvreur, C.Vauthier and C.Malvy	e2 (13 pp.)
<i>S</i>	Comprehensive viral oligonucleotide probe design using conserved protein regions	O.J.Jabado, Y.Liu, S.Conlan, P.L.Quan, H.Hegyí, Y.Lussier, T.Briese, G.Palacios and W.I.Lipkin	e3 (10 pp.)
	Recombineering with <i>tolC</i> as a Selectable/Counter-selectable Marker: remodeling the rRNA Operons of <i>Escherichia coli</i>	J.A.DeVito	e4 (12 pp.)
<i>S</i>	From micrograms to picograms: quantitative PCR reduces the material demands of high-throughput sequencing	M.Meyer, A.W.Briggs, T.Maricic, B.Höber, B.Höffner, J.Krause, A.Weihmann, S.Pääbo and M.Hofreiter	e5 (6 pp.)
<i>S</i>	The translation of recombinant proteins in <i>E. coli</i> can be improved by <i>in silico</i> generating and screening random libraries of a -70/+96 mRNA region with respect to the translation initiation codon	S.Care, C.Bignon, M.C.Pelissier, E.Blanc, B.Canard and B.Coutard	e6 (6 pp.)
	<i>In situ</i> oligonucleotide synthesis on carbon materials: stable substrates for microarray fabrication	M.F.Phillips, M.R.Lockett, M.J.Rodesch, M.R.Shortreed, F.Cerrina and L.M.Smith	e7 (9 pp.)
<i>S</i>	Genome wide screens in yeast to identify potential binding sites and target genes of DNA-binding proteins	J.Zeng, J.Yan, T.Wang, D.Mosbrook-Davis, K.T.Dolan, R.Christensen, G.D.Stormo, D.Haussler, R.H.Lathrop, R.K.Brachmann and S.M.Burgess	e8 (8 pp.)
<i>S</i>	Site-specific recombination in <i>Schizosaccharomyces pombe</i> and systematic assembly of a 400kb transgene array in mammalian cells using the integrase of <i>Streptomyces</i> phage $\phi$ BT1	Z.Xu, N.C.O.Lee, F.Dafhnis-Calas, S.Malla, M.C.M.Smith and W.R.A.Brown	e9 (9 pp.)

*M*, contains a novel method

*S*, Supplementary Material available at NAR Online