
Nucleic Acids Research

Contents

Volume 36 number 5

CHEMISTRY

- S, M* Chiral introduction of positive charges to PNA for double-duplex invasion to versatile sequences T.Ishizuka, J.Yoshida, Y.Yamamoto, J.Sumaoka, T.Tedeschi, R.Corradini, S.Sforza and M.Komiyama 1464–1471

COMPUTATIONAL BIOLOGY

- M* Algorithm for prediction of tumour suppressor p53 affinity for binding sites in DNA D.B.Veprintsev and A.R.Fersht 1589–1598

MOLECULAR BIOLOGY

- S* A balance between NF- κ B and p53 governs the pro- and anti-apoptotic transcriptional response P.Benatti, V.Basile, D.Merico, L.I.Fantoni, E.Tagliafico and C.Imbriano 1415–1428
- S* Transcription regulation of the type II restriction-modification system AhdI E.Bogdanova, M.Djordjevic, I.Papapanagiotou, T.Heyduk, G.Kneale and K.Severinov 1429–1442
- Insights into the selective activation of alternatively used splice acceptors by the human immunodeficiency virus type-1 bidirectional splicing enhancer C.Asang, I.Hauber and H.Schaal 1450–1463
- Regulation of the *MAD1* promoter by G-CSF K.Jiang, N.Hein, K.Eckert, J.Lüscher-Firzlaff and B.Lüscher 1517–1531
- Regulation of the human AP-endonuclease (APE1/Ref-1) expression by the tumor suppressor p53 in response to DNA damage A.Zaky, C.Busso, T.Izumi, R.Chattopadhyay, A.Bassiouny, S.Mitra and K.K.Bhakat 1555–1566
- S* Primary T-lymphocytes rescue the replication of HIV-1 DIS RNA mutants in part by facilitating reverse transcription K.L.Jones, S.Sonza and J.Mak 1578–1588
- Histone H1 functions as a stimulatory factor in backup pathways of NHEJ B.Rosidi, M.Wang, W.Wu, A.Sharma, H.Wang and G.Iliakis 1610–1623
- S* Functional relevance of novel p300-mediated lysine 314 and 315 acetylation of RelA/p65 C.Buerki, K.M.Rothgiesser, T.Valovka, H.R.Owen, H.Rehrauer, M.Fey, W.S.Lane and M.O.Hottiger 1665–1680
- S* Functional analysis of the zinc finger and activation domains of Glis3 and mutant Glis3(NDH1) J.Y.Beak, H.S.Kang, Y.-S.Kim and A.M.Jetten 1690–1702
- Spliceosomal introns as tools for genomic and evolutionary analysis M.Irimia and S.W.Roy 1703–1712
- S* Interaction of p21^{CDKN1A} with PCNA regulates the histone acetyltransferase activity of p300 in nucleotide excision repair O.Cazzalini, P.Perucca, M.Savio, D.Necchi, L.Bianchi, L.A.Stivala, B.Ducommun, A.I.Scovassi and E.Prosperi 1713–1722
- S* Analysis of transcription factor interactions in osteoblasts using competitive chromatin immunoprecipitation H.Roca and R.T.Franceschi 1723–1730

Continued

| | | | |
|-----------------------------|--|---|-----------|
| <i>S</i> | Role of ATM in the telomere response to the G-quadruplex ligand 360A | G.Pennarun, C.Granotier, F.Hoffschir, E.Mandine, D.Biard, L.R.Gauthier and F.D.Boussin | 1741–1754 |
| NUCLEIC ACID ENZYMES | | | |
| | Identification and characterization of coumestans as novel HCV NS5B polymerase inhibitors | N.Kaushik-Basu, A.Bopda-Waffo, T.T.Talele, A.Basu, P.R.R.Costa, A.J.M.da Silva, S.G.Sarafianos and F.Noël | 1482–1496 |
| <i>S</i> | Substitution of a residue contacting the triphosphate moiety of the incoming nucleotide increases the fidelity of yeast DNA polymerase ζ | C.A.Howell, C.M.Kondratyck and M.T.Washington | 1731–1740 |
| RNA | | | |
| | Sequence-function relationships provide new insight into the cleavage site selectivity of the 8–17 RNA-cleaving deoxyribozyme | K.Schlosser, J.Gu, L.Sule and Y.Li | 1472–1481 |
| | rRNA mutants in the yeast peptidyltransferase center reveal allosteric information networks and mechanisms of drug resistance | R.Rakauskaitė and J.D.Dinman | 1497–1507 |
| | Proton-guided movements of tRNA within the <i>Leishmania</i> mitochondrial RNA import complex | S.Basu, S.Mukherjee and S.Adhya | 1599–1609 |
| <i>S</i> | Deadenylation-independent stage-specific mRNA degradation in <i>Leishmania</i> | S.Haile, A.Dupé and B.Papadopoulou | 1634–1644 |
| <i>S</i> | Analysis of adenovirus VA RNA ₁ structure and stability using compensatory base pair modifications | V.K.Coventry and G.L.Conn | 1645–1653 |
| <i>S</i> | Pentamidine binds to tRNA through non-specific hydrophobic interactions and inhibits aminoacylation and translation | T.Sun and Y.Zhang | 1654–1664 |
| STRUCTURAL BIOLOGY | | | |
| | Influence of the incorporation of a cyclohexenyl nucleic acid (CeNA) residue onto the sequence d(CGCGAATTCGCG) | K.Robeyns, P.Herdewijn and L.Van Meervelt | 1407–1414 |
| <i>S</i> | Interaction of cationic surfactants with DNA: a single-molecule study | S.Husale, W.Granger, M.Karle, S.Bürgi and M.Hegner | 1443–1449 |
| <i>S</i> | Insights into structure, dynamics and hydration of locked nucleic acid (LNA) strand-based duplexes from molecular dynamics simulations | V.Pande and L.Nilsson | 1508–1516 |
| | Stretching and unzipping nucleic acid hairpins using a synthetic nanopore | Q.Zhao, J.Comer, V.Dimitrov, S.Yemenicioglu, A.Aksimentiev and G.Timp | 1532–1541 |
| | The crystal structure of Nep1 reveals an extended SPOUT-class methyltransferase fold and a pre-organized SAM-binding site | A.B.Taylor, B.Meyer, B.Z.Leal, P.Kötter, V.Schirf, B.Demeler, P.J.Hart, K.-D.Entian and J.Wöhnert | 1542–1554 |
| <i>S</i> | Crystal structure of IcaR, a repressor of the TetR family implicated in biofilm formation in <i>Staphylococcus epidermidis</i> | W.-Y.Jeng, T.-P.Ko, C.-I.Liu, R.-T.Guo, C.-L.Liu, H.-L.Shr and A.H.-J.Wang | 1567–1577 |
| <i>S</i> | Probing the mechanism of recognition of ssDNA by the Cdc13-DBD | A.M.Eldridge and D.S.Wuttke | 1624–1633 |

Continued

| | | | |
|---------------------------|--|---|--------------|
| <i>S</i> | Solution structure of stem-loop α of the hepatitis B virus post-transcriptional regulatory element | M.Schwalbe, O.Ohlenschläger, A.Marchanka, R.Ramachandran, S.Häfner, T.Heise and M.Görlach | 1681–1689 |
| METHODS ONLINE | | | |
| <i>S, M</i> | Discriminating single-base difference miRNA expressions using microarray Probe Design Guru (ProDeG) | I.Lee, S.S.Ajay, H.Chen, A.Maruyama, N.Wang, M.G.McInnis and B.D.Athey | e27 (10 pp.) |
| <i>M</i> | Improvement of reporter activity by IRES-mediated polycistronic reporter system | H.Bouabe, R.Fässler and J.Heesemann | e28 (9 pp.) |
| <i>M</i> | Predicting RNA-binding sites from the protein structure based on electrostatics, evolution and geometry | Y.C.Chen and C.Lim | e29 (10 pp.) |
| <i>M</i> | Target accessibility and signal specificity in live-cell detection of BMP-4 mRNA using molecular beacons | W.J.Rhee, P.J.Santangelo, H.Jo and G.Bao | e30 (10 pp.) |
| <i>S, M</i> | Facile SNP detection using bifunctional, cross-linking oligonucleotide probes | X.Peng and M.M.Greenberg | e31 (7 pp.) |
| <i>S, M</i> | The use of multiple displacement amplification to amplify complex DNA libraries | M.J.Fullwood, J.J.S.Tan, P.W.P.Ng, K.P.Chiu, J.Liu, C.L.Wei and Y.Ruan | e32 (7 pp.) |
| <i>M</i> | Performance comparison between k-tuple distance and four model-based distances in phylogenetic tree reconstruction | K.Yang and L.Zhang | e33 (9 pp.) |
| <i>M</i> | Bisulfite sequencing Data Presentation and Compilation (BDPC) web server—a useful tool for DNA methylation analysis | C.Rohde, Y.Zhang, T.P.Jurkowski, H.Stamerjohanns, R.Reinhardt and A.Jeltsch | e34 (6 pp.) |

M, contains a novel method

S, Supplementary Material available at NAR Online