
Nucleic Acids Research

Contents

Volume 36 number 6

CHEMISTRY

- S* 'Protected DNA Probes' capable of strong hybridization without removal of base protecting groups A.Ohkubo, R.Kasuya, K.Sakamoto, K.Miyata, H.Taguchi, H.Nagasawa, T.Tsukahara, T.Watanobe, Y.Maki, K.Seio and M.Sekine 1952–1964

COMPUTATIONAL BIOLOGY

- S* Genome-wide inference of protein interaction sites: lessons from the yeast high-quality negative protein–protein interaction dataset J.Guo, X.Wu, D.-Y.Zhang and K.Lin 2002–2011

GENOMICS

- S* Transcriptional regulation of NAD metabolism in bacteria: genomic reconstruction of NiaR (YrxA) regulon D.A.Rodionov, X.Li, I.A.Rodionova, C.Yang, L.Sorci, E.Dervyn, D.Martynowski, H.Zhang, M.S.Gelfand and A.L.Osterman 2032–2046
- S* Transcriptional regulation of NAD metabolism in bacteria: NrtR family of Nudix-related regulators D.A.Rodionov, J.De Ingeniis, C.Mancini, F.Cimadamore, H.Zhang, A.L.Osterman and N.Raffaelli 2047–2059

MOLECULAR BIOLOGY

- S* A novel G-quadruplex-forming GGA repeat region in the c-myc promoter is a critical regulator of promoter activity S.L.Palumbo, R.M.Memmott, D.J.Uribe, Y.Krotova-Khan, L.H.Hurley and S.W.Ebbinghaus 1755–1769
- S* Apn1 and Apn2 endonucleases prevent accumulation of repair-associated DNA breaks in budding yeast as revealed by direct chromosomal analysis W.Ma, M.A.Resnick and D.A.Gordenin 1836–1846
- S* p160/SRC/NCoA coactivators form complexes via specific interaction of their PAS-B domain with the CID/AD1 domain M.Lodrini, T.Münz, N.Coudevylle, C.Griesinger, S.Becker and E.Pfützner 1847–1860
- S* Identification of CUG-BP1/EDEN-BP target mRNAs in *Xenopus tropicalis* A.Graindorge, O.Le Tonquèze, R.Thuret, N.Pollet, H.B.Osborne and Y.Audic 1861–1870
- C-terminal diversity within the p53 family accounts for differences in DNA binding and transcriptional activity M.Sauer, A.C.Bretz, R.Beinoraviciute-Kellner, M.Beitzinger, C.Burek, A.Rosenwald, G.S.Harms and T.Stiewe 1900–1912
- Angiotensin II induction of PDGF-C expression is mediated by AT1 receptor-dependent Egr-1 transactivation E.Sanchez-Guerrero, V.C.Midgley and L.M.Khachigian 1941–1951
- Secondary DNA structure formation for *Hoxb9* promoter and identification of its specific binding protein T.Yamagishi, S.Hirose and T.Kondo 1965–1975
- S* Alternative splicing of *Alu* exons—two arms are better than one N.Gal-Mark, S.Schwartz and G.Ast 2012–2023

Continued

<i>S</i>	Oxygen-dependent, alternative promoter controls translation of <i>teo1</i> ⁺ in fission yeast	A.Sehgal, B.T.Hughes and P.J.Espenshade	2024–2031
<i>S</i>	Evidence for Ku70/Ku80 association with full-length RAG1	P.Raval, A.N.Kriatchko, S.Kumar and P.C.Swanson	2060–2072
<i>S</i>	The effect of sequence context on spontaneous Polζ-dependent mutagenesis in <i>Saccharomyces cerevisiae</i>	A.L.Abdulovic, B.K.Minesinger and S.Jinks-Robertson	2082–2093
NUCLEIC ACID ENZYMES			
	From one amino acid to another: tRNA-dependent amino acid biosynthesis	K.Sheppard, J.Yuan, M.J.Hohn, B.Jester, K.M.Devine and D.Söll	1813–1825
<i>S</i>	Divergence of selenocysteine tRNA recognition by archaeal and eukaryotic <i>O</i> -phosphoseryl-tRNA ^{Sec} kinase	R.L.Sherrer, J.M.L.Ho and D.Söll	1871–1880
<i>S</i>	Conformational changes of a Swi2/Snf2 ATPase during its mechano-chemical cycle	R.Lewis, H.Dürr, K.-P.Hopfner and J.Michaelis	1881–1890
	A DNA-binding activity in BPV initiator protein E1 required for melting duplex <i>ori</i> DNA but not processive helicase activity initiated on partially single-stranded DNA	C.M.Sanders	1891–1899
<i>S</i>	Evidence for a functional dimeric form of the PcrA helicase in DNA unwinding	Y.Yang, S.-X.Dou, H.Ren, P.-Y.Wang, X.-D.Zhang, M.Qian, B.-Y.Pan and X.G.Xi	1976–1989
<i>S</i>	Mechanistic consequences of temperature on DNA polymerization catalyzed by a Y-family DNA polymerase	K.A.Fiala, S.M.Sherrer, J.A.Brown and Z.Suo	1990–2001
	Dynamics and consequences of DNA looping by the FokI restriction endonuclease	L.E.Catto, S.R.W.Bellamy, S.E.Retter and S.E.Halford	2073–2081
	Phage T4 SegB protein is a homing endonuclease required for the preferred inheritance of T4 tRNA gene region occurring in co-infection with a related phage	V.S.Brok-Volchanskaya, F.A.Kadyrov, D.E.Sivogrivov, P.M.Kolosov, A.S.Sokolov, M.G.Shlyapnikov, V.M.Kryukov and I.E.Granovsky	2094–2105
RNA			
<i>S</i>	Isoenergetic penta- and hexanucleotide microarray probing and chemical mapping provide a secondary structure model for an RNA element orchestrating R2 retrotransposon protein function	E.Kierzek, R.Kierzek, W.N.Moss, S.M.Christensen, T.H.Eickbush and D.H.Turner	1770–1782
<i>S</i>	Functional interaction between bases C1049 in domain II and G2751 in domain VI of 23S rRNA in <i>Escherichia coli</i> ribosomes	T.Miyoshi and T.Uchiumi	1783–1791
	The 3' processing factor CstF functions in the DNA repair response	N.Mirkin, D.Fonseca, S.Mohammed, M.A.Cevher, J.L.Manley and F.E.Kleiman	1792–1804
<i>S</i>	Small RNAs encoded within genetic islands of <i>Salmonella typhimurium</i> show host-induced expression and role in virulence	G.Padalon-Brauch, R.Hershberg, M.Elgrably-Weiss, K.Baruch, I.Rosenshine, H.Margalit and S.Altuvia	1913–1927
STRUCTURAL BIOLOGY			
<i>S</i>	Unexpected A-form formation of 4'-thioDNA in solution, revealed by NMR, and the implications as to the mechanism of nuclease resistance	A.Matsugami, T.Ohyama, M.Inada, N.Inoue, N.Minakawa, A.Matsuda and M.Katahira	1805–1812

Continued

Contents (Continued)

Volume 36 number 6

<i>S</i>	Structure/function analysis of yeast ribosomal protein L2	A.Meskauskas, J.R.Russ and J.D.Dinman	1826–1835
<i>S</i>	NMR and MD studies of the temperature-dependent dynamics of RNA YNMG-tetraloops	J.Ferner, A.Villa, E.Duchardt, E.Widjajakusuma, J.Wöhnert, G.Stock and H.Schwalbe	1928–1940
	ERRATUM		2106
	METHODS ONLINE		
	Highly cost-efficient genome-wide association studies using DNA pools and dense SNP arrays	S.Macgregor, Z.Z.Zhao, A.Henders, M.G.Nicholas, G.W.Montgomery and P.M.Visscher	e35 (8 pp.)
<i>S</i>	Enzymatic signal amplification of molecular beacons for sensitive DNA detection	J.J.Li, Y.Chu, B.Y.-H.Lee and X.S.Xie	e36 (17 pp.)
<i>S, M</i>	An optimized split-ubiquitin cDNA-library screening system to identify novel interactors of the human Frizzled 1 receptor	D.Dirnberger, M.Messerschmid and R.Baumeister	e37 (13 pp.)

M, contains a novel method

S, Supplementary Material available at NAR Online