
Nucleic Acids Research

Contents

Volume 37 number 11

SURVEY AND SUMMARY

- Replication fork reversal and the maintenance of genome stability J. Atkinson and P. McGlynn 3475–3492

CHEMISTRY AND SYNTHETIC BIOLOGY

- S* Kinetics and thermodynamics of DNA hybridization on gold nanoparticles C. Chen, W. Wang, J. Ge and X. S. Zhao 3756–3765

COMPUTATIONAL BIOLOGY

- S, M* PROCAIN: protein profile comparison with assisting information Y. Wang, R. I. Sadreyev and N. V. Grishin 3522–3530
- S* Non-specific interactions are sufficient to explain the position of heterochromatic chromocenters and nucleoli in interphase nuclei S. de Nooijer, J. Wellink, B. Mulder and T. Bisseling 3558–3568
- S, M* Accurate prediction of NAGNAG alternative splicing R. Sinha, S. Nikolajewa, K. Szafranski, M. Hiller, N. Jahn, K. Huse, M. Platzer and R. Backofen 3569–3579
- S* Local and global effects of strong DNA bending induced during molecular dynamics simulations J. Curuksu, M. Zacharias, R. Lavery and K. Zakrzewska 3766–3773

GENE REGULATION, CHROMATIN AND EPIGENETICS

- S* Poly(ADP-ribosylation) of heterogeneous nuclear ribonucleoproteins modulates splicing Y. Ji and A. V. Tulin 3501–3513
- Transcriptional regulation shapes the organization of genes on bacterial chromosomes S. C. Janga, H. Salgado and A. Martínez-Antonio 3680–3688
- S* The *C. elegans* Snail homolog CES-1 can activate gene expression *in vivo* and share targets with bHLH transcription factors J. S. Reece-Hoyes, B. Deplancke, M. I. Barrasa, J. Hatzold, R. B. Smit, H. E. Arda, P. A. Pope, J. Gaudet, B. Conradt and A. J. M. Walhout 3689–3698
- S* Histone deacetylase *Rpd3* antagonizes Sir2-dependent silent chromatin propagation J. Zhou, B. O. Zhou, B. A. Lenzmeier and J.-Q. Zhou 3699–3713
- Silencing of a plant gene by transcriptional interference B. Hedtke and B. Grimm 3739–3746

GENOME INTEGRITY, REPAIR AND REPLICATION

- S* Cleavage of a model DNA replication fork by a Type I restriction endonuclease K. Ishikawa, N. Handa and I. Kobayashi 3531–3544

MOLECULAR BIOLOGY

- S* The amino terminal domain from Mrt4 protein can functionally replace the RNA binding domain of the ribosomal P0 protein M. Rodríguez-Mateos, D. Abia, J. J. García-Gómez, A. Morreale, J. de la Cruz, C. Santos, M. Remacha and J. P. G. Ballesta 3514–3521

Continued

<i>S</i>	<i>mwr</i> Xer site-specific recombination is hypersensitive to DNA supercoiling	S.Trigueros, T.Tran, N.Sorto, J.Newmark, S.D.Colloms, D.J.Sherratt and M.E.Tolmasky	3580–3587
<i>S</i>	Protein-coding gene promoters in <i>Methanocaldococcus</i> (<i>Methanococcus</i>) <i>jannaschii</i>	J.Zhang, E.Li and G.J.Olsen	3588–3601
<i>S</i>	Rapid Cdc13 turnover and telomere length homeostasis are controlled by Cdk1-mediated phosphorylation of Cdc13	S.-F.Tseng, Z.-J.Shen, H.-J.Tsai, Y.-H.Lin and S.-C.Teng	3602–3611
<i>M</i>	Targeted correction of a thalassemia-associated β -globin mutation induced by pseudo-complementary peptide nucleic acids	P.Lonkar, K.-H.Kim, J.Y.Kuan, J.Y.Chin, F.A.Rogers, M.P.Knauert, R.Kole, P.E.Nielsen and P.M.Glazer	3635–3644
<i>S</i>	Mutational analysis of the HIV-1 auxiliary protein Vif identifies independent domains important for the physical and functional interaction with HIV-1 reverse transcriptase	A.Kataropoulou, C.Bovolenta, A.Belfiore, S.Trabatti, A.Garbelli, S.Porcellini, R.Lupo and G.Maga	3660–3669
<i>S</i>	Transcriptionally active TFIID of the early-diverged eukaryote <i>Trypanosoma brucei</i> harbors two novel core subunits but not a cyclin-activating kinase complex	J.H.Lee, H.S.Jung and A.Günzl	3811–3820
NUCLEIC ACIDS ENZYMES			
<i>S</i>	Nontarget DNA binding shapes the dynamic landscape for enzymatic recognition of DNA damage	J.I.Friedman, A.Majumdar and J.T.Stivers	3493–3500
	Nucleotide analogs and molecular modeling studies reveal key interactions involved in substrate recognition by the yeast RNA triphosphatase	M.Issur, S.Despins, I.Bougie and M.Bisaillon	3714–3722
<i>S</i>	Molecular mechanism of poly(ADP-ribosylation) by PARP1 and identification of lysine residues as ADP-ribose acceptor sites	M.Altmeyer, S.Messner, P.O.Hassa, M.Fey and M.O.Hottiger	3723–3738
<i>S</i>	Low-fidelity DNA synthesis by the L979F mutator derivative of <i>Saccharomyces cerevisiae</i> DNA polymerase ζ	J.E.Stone, G.E.Kissling, S.A.Lujan, I.B.Rogozin, C.M.Stith, P.M.J.Burgers and T.A.Kunkel	3774–3787
RNA			
<i>S</i>	A genotype-to-phenotype map of <i>in vitro</i> selected RNA-cleaving DNazymes: implications for accessing the target phenotype	K.Schlosser, J.C.F.Lam and Y.Li	3545–3557
<i>S</i>	Alternative polyadenylation variants of the RNA binding protein, HuR: abundance, role of AU-rich elements and auto-Regulation	W.Al-Ahmadi, M.Al-Ghamdi, L.Al-Haj, M.Al-Saif and K.S.A.Khabar	3612–3624
<i>S</i>	Coupled termination/reinitiation for translation of the downstream open reading frame B of the prototypic hypovirus CHV1-EP713	L.-h.Guo, L.Sun, S.Chiba, H.Araki and N.Suzuki	3645–3659
<i>S, M</i>	Constructing RNA dynamical ensembles by combining MD and motionally decoupled NMR RDCs: new insights into RNA dynamics and adaptive ligand recognition	A.T.Frank, A.C.Stelzer, H.M.Al-Hashimi and I.Andricioaei	3670–3679
<i>S</i>	Low modularity of aminoacyl-tRNA substrates in polymerization by the ribosome	A.C.Forster	3747–3755
<i>S</i>	Molecular genetics and comparative genomics reveal RNAi is not functional in malaria parasites	J.Baum, A.T.Papenfuss, G.R.Mair, C.J.Janse, D.Vlachou, A.P.Waters, A.F.Cowman, B.S.Crabb and T.F.de Koning-Ward	3788–3798

Continued

<i>S</i>	MicroRNA-338-3p and microRNA-451 contribute to the formation of basolateral polarity in epithelial cells	S.Tsuchiya, M.Oku, Y.Imanaka, R.Kunimoto, Y.Okuno, K.Terasawa, F.Sato, G.Tsujimoto and K.Shimizu	3821–3827
 STRUCTURAL BIOLOGY			
<i>S</i>	Dramatic effect of single-base mutation on the conformational dynamics of human telomeric G-quadruplex	J.Y.Lee and D.S.Kim	3625–3634
<i>S</i>	Crystal structure of the $\beta\beta\alpha$-Me type II restriction endonuclease Hpy99I with target DNA	M.Sokolowska, H.Czapinska and M.Bochtler	3799–3810
 METHODS ONLINE			
<i>S, M</i>	TARGeT: a web-based pipeline for retrieving and characterizing gene and transposable element families from genomic sequences	Y.Han, J.M.Burnette III and S.R.Wessler	e78 (pp. 13)
<i>S, M</i>	Text-based over-representation analysis of microarray gene lists with annotation bias	H.S.Leong and D.Kipling	e79 (pp. 11)
<i>S, M</i>	Sim4cc: a cross-species spliced alignment program	L.Zhou, M.Pertea, A.L.Delcher and L.Florea	e80 (pp. 11)
<i>M</i>	Robust methods for purification of histones from cultured mammalian cells with the preservation of their native modifications	P.Rodriguez-Collazo, S.H.Leuba and J.Zlatanova	e81 (pp. 15)
<i>S, M</i>	Tissue-specific regulatory network extractor (TS-REX): a database and software resource for the tissue and cell type-specific investigation of transcription factor-gene networks	F.Colecchia, D.Kottwitz, M.Wagner, C.V.Pfenninger, G.Thiel, I.Tamm, C.Peterson and U.A.Nuber	e82 (pp. 15)
<i>S, M</i>	MM-align: a quick algorithm for aligning multiple-chain protein complex structures using iterative dynamic programming	S.Mukherjee and Y.Zhang	e83 (pp. 10)

M, contains a novel method

S, Supplementary Material available at NAR Online